

AMENDMENTS TO THE CLAIMS

Please amend the claims as set forth on the following pages.

1. (Cancelled)

2. (Currently Amended) A system for passing communications between a manufacturer and a manufacturer's customer, the system comprising:

a customer interface for passing communications to and from a customer;

an application server in communication with said customer interface comprising an application level protocol for receiving customer communications from the customer interface and, in response to said customer communication, generating a message;

a client interface in communication with said application server for passing messages to and from said application server;

a remote back-office database server coupled to said client interface, the back-office database server providing access to data which is desired by the customer~~The system of claim 1,~~
wherein the data is in the form of representations of a plurality of business documents,~~the system further comprising;~~

means for relating the plurality of business documents according to a previously established progression, the previously established progression defining the relationships between different types of business documents as they are encountered in a typical business environment and defining allowed navigation paths between the plurality of business documents[[,]];

means for displaying the previously established progression as a hierarchical tree structure of representations of business documents, the tree structure having at least one branch, wherein:

the tree structure has a plurality of levels in a hierarchy, each level being in a dominant-subordinate relationship with each adjacent level,

at least two levels in the same branch comprise at least one document type node and at least one document instance node,

the document type nodes in at least two different levels in the same tree branch identify different types of business documents,

each document instance node is:

- (a) immediately subordinate to a document type node,
- (b) associated with a representation of the same type of business document as a document instance node in the same level of the same branch, and
- (c) associated with a representation of a business document that is related to a representation of a business document associated with a document instance node in another level in the same branch;

means for selecting a particular document instance node; and

means for displaying information contained in the representation of a business document associated with a selected document instance node.

3. (Currently Amended) The system of claim 2 [[1]], wherein the back-office database server comprises a means for accessing data used by an enterprise resource planning program.

4. (Currently Amended) ~~The system of claim 3~~A system for passing communications between a manufacturer and a manufacturer's customer, the system comprising:

a customer interface for passing communications to and from a customer;

an application server in communication with said customer interface comprising an application level protocol for receiving customer communications from the customer interface and, in response to said customer communication, generating a message, wherein the application server comprises: a means for accepting from a customer, customer specific criteria from a customer for a make to order item;

a client interface in communication with said application server for passing messages to and from said application server; and

a remote back-office database server coupled to said client interface, the back-office database server providing access to data which is desired by the customer, wherein the back-office database server comprises a means for accessing data used by an enterprise resource planning program.

5. (Currently Amended) ~~The system of claim 4, further comprising~~A system for passing communications between a manufacturer and a manufacturer's customer, the system comprising:

a customer interface for passing communications to and from a customer;

an application server in communication with said customer interface comprising an application level protocol for receiving customer communications from the customer interface and, in response to said customer communication, generating a message, wherein the application server comprises a means for accepting from a customer, customer specific criteria for a make to order item;

a client interface in communication with said application server for passing messages to and from said application server;

a remote back-office database server coupled to said client interface, the back-office database server providing access to data which is desired by the customer, wherein the back-office database server comprises a means for accessing data used by an enterprise resource planning program; and

a computer assisted drawing program.

6. The system of claim 3, wherein the application level protocol comprises a simple object access protocol.

7. The system of claim 6, wherein the messages passed to and from said application server are in the form of extensible markup language documents.

8. (Cancelled)

9. (Cancelled)

10. (Currently Amended) A method of exchanging information in a manufacturing environment between a manufacturer and a customer, comprising the steps of ~~The method of claim 9, further comprising the step of providing:~~

representations of a plurality of business documents accessible through ~~the~~ a back-office server;

means for relating the plurality of business documents;

means for displaying a hierarchical tree structure of representations of business documents, the tree structure having at least one branch, wherein:

the tree structure has a plurality of levels in a hierarchy, each level being in a dominant-subordinate relationship with each adjacent level,

at least two levels in the same branch comprise at least one document type node and at least one document instance node,

the document type nodes in at least two different levels in the same tree branch identify different types of business documents,

each document instance node is:

(a) immediately subordinate to a document type node,

(b) associated with a representation of the same type of business document as a document instance node in the same level of the same branch, and

(c) associated with a representation of a business document that is related to a representation of a business document associated with a document instance node in another level in the same branch;

means for selecting a particular document instance node; and

means for displaying information contained in the representation of a business document associated with a selected document instance node;
an enterprise resource planning program accessible through the remote back-office database server;

~~and the step of receiving from a customer, a request for information, comprises the steps of:~~

receiving from a customer a request for information, by

selecting a first of ~~the~~ at least two document instance nodes that is in a level dominant the level of a second of the at least two document instance nodes, such that information associated with the first document instance node is displayed, and

selecting ~~the~~ a second of the at least two document instance nodes which is in a level subordinate to the first of at least two document instance nodes, such that information associated with the second document instance node is displayed,

processing the request for information from the customer;

transmitting the processed request for information to a remote back-office database server;

receiving information from the back-office database server; and

transmitting to the customer the information received.

11. (Currently Amended) A method of exchanging information in a manufacturing environment between a manufacturer and a customer, ~~The method of claim 8, further comprising~~
the steps of:

initiating a logical session between a customer and an application server;

receiving from a customer a request for information;

processing the request for information from the customer;

transmitting the processed request for information to a remote back-office database server;

receiving information from the back-office database server; and

transmitting to the customer the information received;

providing access to representations of at least a first and a second ~~different~~ business document[[s]] of differing types through the back-office database server, said representations being related by a common key[[,]];

displaying, for the representations of the at least first and second ~~representations of~~ business documents, a dominant reference and a subordinate reference to the representations of the at least first and second ~~representations of~~ business documents in a manner that shows the dominant-subordinate relationship between the two references[[,]];

providing a document information display area;

selecting the dominant reference[[,]];

displaying information from the first business document in the information display area;

selecting the subordinate reference[[,]]; and

displaying information from the second business document in the information display area.

12. (Currently Amended) ~~The method of claim 8, wherein the step of processing the request for information from the customer comprises the steps of~~A method of exchanging information in a manufacturing environment between a manufacturer and a customer, comprising the steps of:

initiating a logical session between a customer and an application server;

receiving from a customer a request for information;

processing the request for information from the customer, including generating an extensible markup language document, passing the extensible markup language document to a selector component, processing header information on the extensible markup language document, and passing the extensible markup language document to an adapter component;

transmitting the processed request for information to a remote back-office database server, including

~~and wherein the step of transmitting the processed request for information to a remote back-office database server comprises the steps of:~~

invoking a remote procedure callan RPC to a remote database system through a proxy object, and

invoking an internet server application program interfaceISAPI component to pass the extensible markup language document to an integration component [[,]];

receiving information from the back-office database server; and

transmitting to the customer the information received.